

SBZ 140 PROFILE MACHINING CENTRE



PROFILE MACHINING CENTRE SBZ 140 ELUCAM



Description

- 4-axis profile machining centre
- Designed for economical and efficient machining of aluminium and thin-walled steel profiles
- All operations, such as routing, drilling and tapping are performed while the profile bar is stationary to protect the profile surfaces
- Machining with all tools at angles continuously adjustable from 0° - 180°
- The on-board tool magazine ensures that tool changing times are kept short, thereby optimising machining cycles
- The magazine can be equipped with eight tools
- A rotating angle head with two different tools is available for double-bar and end machining (0° - 90° - 180° - 270°) (option)
- Two separate working zones enable machining in shuttle operation (option)
- 4-axis controller
- 15" colour display, USB ports and network connection
- Windows operating system
- eluCam

Technical specifications

- Traverse path X-axis, 4,200 mm, 6,400 mm, 7,600 mm, 9,700 mm (additional lengths on request) Vmax. 65 m/min.

- Traverse path Y-axis, 850 mm, Vmax. 60 m/min.
- Traverse path Z-axis, 650 mm, Vmax. 60 m/min.
- Pivoting angle A-axis, 0° - 180°; freely programmable in 1/10° steps
- Max. spindle speed 24,000 rpm
- Spindle power output 11 kW, S1
- Tool changer for eight tools, additional tool positions on request
- Compressed air supply 7 bar
- Power supply 400 V, 3~, 50 Hz, 63 A
- Air consumption per minute 180 l with spraying

Machining lengths

SBZ 140 - 4.2 m

- Max. machining length with profile end machining, 4,080 mm
- Max. machining length without profile end machining, 4,200 mm

SBZ 140 - 6.4 m

- Max. machining length with profile end machining, 6,280 mm
- Max. machining length without profile end machining, 6,400 mm

SBZ 140 - 7.6 m

- Max. machining length with profile end machining, 7,480 mm
- Max. machining length without profile end machining, 7,600 mm

SBZ 140 - 9.7 m

- Max. machining length with profile end machining, 9,580 mm
- Max. machining length without profile end machining, 9,700 mm

Optional

- Automatic length measurement
- Clamping unit accommodates double profile machining
- Chips conveyor belt
- Barcode scanner
- Stationary tool magazine
- Angle routing heads
- Tool holders


- Collet chucks
- Collets
- Tools
- eluCad (office software package for optimized production management)




Profile machining centre SBZ 140 eluCam
SBZ 140 + special accessories




Profile machining centre SBZ 140 eluCam



Profile machining centre SBZ 140 eluCam




Profile machining centre SBZ 140 eluCam




Profile machining centre SBZ 140 eluCam




Profile machining centre SBZ 140 eluCam



Profile machining centre SBZ 140 eluCam



Profile machining centre SBZ 140 eluCam



**Profile machining
centre SBZ 140 eluCam**